	7	* //	~ .	77 Rec'd PCT/PTO 16 NOV 20
FORM (REV		v)	ENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER
	T		R TO THE UNITED STATES	216096US6PCT
		DESIGNATED/ELECT	TED OFFICE (DO/EO/US)	U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR
_		CONCERNING A FILIN	ING UNDER 35 U.S.C. 371	09/926541
		TIONAL APPLICATION NO. PCT/SE00/01304	INTERNATIONAL FILING DATE 20 June 2000	PRIORITY DATE CLAIMED 24 June 1999
		INVENTION		T T
DEV	VIC:	AND METHOD FOR FAST	TENING CABLES TO AN INDUSTRI	IAL ROBOT
_				
		NT(S) FOR DO/EO/US		
ŝΑL,	,U _{IV}	IONSSON Dan et al.		
nn]	-cant	1		
			states Designated/Elected Office (DO/EO/US)	
1. 2.		This is a FIRST submission of the	fitems concerning a filing under 35 U.S.C. 37	71.
2.	⋈	This is a SECOND or SUBSEQ	QUENT submission of items concerning a fili	ing under 35 U.S.C. 371.
э.	Ł	This is an express request to beg (6), (9) and (24) indicated below	gin national examination procedures (35 U.S. w.	S.C. 371(f)). The submission must include itens (5),
4.	\boxtimes		e expiration of 19 months from the priority dat	sto (Aetialo 21)
5.	×		plication as filed (35 U.S.C. 371 (c) (2))	te (Article 51).
			quired only if not communicated by the Intern	national Rureau).
		 b.	ed by the International Bureau.	
		c. is not required, as the a	application was filed in the United States Rec	ceiving Office (RO/US).
6.		An English language translation	n of the International Application as filed (35	U.S.C. 371(e)(2)).
		 a. is attached hereto. 		0.0.0. 5.1(0)(-))
			ubmitted under 35 U.S.C. 154(d)(4).	
7.	\boxtimes	Amendments to the claims of the	ne International Application under PCT Article	le 19 (35 U.S.C. 371 (c)(3))
		 a. are attached hereto (req 	equired only if not communicated by the Intern	national Bureau).
		 b. have been communicate 	ated by the International Bureau.	· ·
		c. have not been made; ho	nowever, the time limit for making such amend	dments has NOT expired.
e		d. have not been made and	nd will not be made.	-
8.		An English language translation	of the amendments to the claims under PCT.	Article 19 (35 U.S.C. 371(c)(3)).
9.		An oath or declaration of the inve	ventor(s) (35 U.S.C. 371 (c)(4)).	
0.		An English language translation of Article 36 (35 U.S.C. 371 (c)(5)).	of the annexes to the International Preliminar	ry Examination Report under PCT
1.	\boxtimes	1 milete 30 (33 0.8.C. 371 (c)(3)).	n)·	
2.	×	A copy of the International Prelin	iminary Examination Report (PCT/IPEA/409) ch Report (PCT/ISA/210)).
3. ,		3 to 20 below concern documents An Information Disclosure States		
			ement under 37 CFR 1.97 and 1.98.	
5.		A FIRST preliminary amendmen	cording. A separate cover sheet in compliance	e with 37 CFR 3.28 and 3.31 is included.
		A SECOND or SUBSEQUENT		
		A substitute specification.	preliminary amendment.	
		A change of power of attorney and	nd/or address lotter	•
			nd/or address letter. sequence listing in accordance with PCT Rul	
		A second copy of the published is	e sequence listing in accordance with PCF Rul international application under 35 U.S.C. 154(le 13ter.2 and 35 U.S.C. 1.821 - 1.825.
1. [A second copy of the English lan	nguage translation of the international applicat	(d)(4).
2. ĺ		Certificate of Mailing by Express	s Mail	non under 35 U.S.C. 154(a)(4).
	_	Other items or information:	Man	
			ocuments Cited in International Search Re	1996 - The State of
			seaments Cited in international search Re	eport/Request for Priority

JC17 Rec'd PCT/PTO 1 6 NOV 2001

U.S. A	APPLICATION NO. (IF KNOW): SEE JICFR INTERNATIONAL APPLICATION NO. PCT/SE00/01304									DOCKET NUMBE 6US6PCT				
24. The following fees are submitted:.								CA	LCULATION	S PTO USE ONL				
BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)):														
	⊠ Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or IPO													
☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or IPO														
	☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO										\$740.00	l		
									\$710.00	1				
	and all claims satisfied provisions of PCT Article 33(1)-(4)								\$100.00	Ļ		ı ———		
L									EE AM			L	\$1,040.00	
Surcha month	arge of \$130 s from the e	0.00 tarlie	or furni st claim	shing to ed prio	he oath rity da	or decla te (37 Cl	ration late FR 1.492 (er than (e)).	□ 2	0 🗵	30		\$130.00	
	AIMS	Ţ	N	UMBE			NU	MBER EX	TRA		TE			
	claims endent claim	+		13		3 =		0			8.00 4.00	├	\$0.00	
	le Depende		aims (c				']	╁╴	\$0.00	
							ABOV	E CAL	CULAT	IONS	=		\$1,170.00	
□ /r	applicant cla educed by I	ims /2.	small ei	ntity sta	itus. Se	e 37 CFI	R 1.27). T	he fees ind	licated abov	e are			\$0.00	
									SUB	ГОТА	L =		\$1,170.00	
Proces month	sing fee of s s from the e	\$130 arlie:	.00 for st claim	furnishi ed prior	ing the rity da	English te (37 Cl	translation FR 1.492 (later than	□ 20	0 🗆	30 +		\$0.00	
							TOT	AL NA	FIONAL	LFEE	=		\$1,170.00	
Fee for accom	r recording panied by a	the e n app	nclosed propriate	assignr cover	nent (3 sheet (.	7 CFR I 37 CFR	.21(h)). T 3.28, 3.31	he assigm) (check i	nent must t f applicabl	e).			\$0.00	
<u> </u>							TOTA	L FEE:	SENCL	OSED	=		\$1,170.00	
Ų													unt to be: efunded	S
├									Ц_	charged	\$			
a. b			in the		_				e above fee					ha abassa fasa
٠. ا	b. Please charge my Deposit Account No in the amount of to cover the above fees. A duplicate copy of this sheet is enclosed.													
c.	c. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No15-0030 A duplicate copy of this sheet is enclosed.													
d. ☐ Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.														
NOTE 1.137(: Where a a) or (b)) m	n app	propria se filed	te time and gr	limit i	under 37 to restor	CFR 1.4	94 or 1.49 lication to	5 has not l pending s	oeen mei tatus.	, a petiti	ion to	revive (37 CF	R
SEND	ALL CORE	RESF	ONDE	NCE TO	0:						/	1	Juhn	
				F			er Sach			SIGNA	ATURE	um	1 mg co.	
Registration No. 34,423							1	Grego	ory J. M	[aier				
							1	NAME	3					
								25,599						
22850							REGISTRATION NUM				MBER			
l		_			-						Nov	٠,	16 2001	
										DATE				

PCT/SE00/01304

09/92654 7

Device and method for fastening cables to an industrial robot.

Technical field

The present invention relates to an industrial robot with compacted cable set 5 fastening.

Background art

Industrial robots comprise a manipulator with a control system where the manipulator comprises a robot arm. In industrial robots the power cable set is usually arranged inside the robot arm for power supply to the tool itself, inside the robot arm. It is also known to arrange process cable sets for power supply to the tool itself, inside the robot arm. The qualifying term cable set here refers to one or multiple cable sets mentioned above. Furthermore the qualifying term can comprise spare circuits, for example to meet the different demands of clients. Each cable set is provided with connectors for connection to respective power source.

The patent document US 5564312 shows an industrial robot in which the cable set coming up from the frame passes an opening in a star shaped holder, which keeps the cables apart to manage the rotation of the robot around an axle A. The star shaped holder also protects against down-falling particles and parts. The star shaped holder distributes the individual cables and wires over the entire opening.

The patent document GB 2134074 shows an industrial robot with an installed cable set, the purpose of which is to decrease the wear on the cable set without compromising the mobility of the robot. The document does not mention on how the cable set is to be replaced e.g. in case of cable breakdown or other damage to the cable set.

The patent document US4715571 shows a device for holding individual cables in round holders 1. The device also comprises fastening means 53, which can each hold a number of holders. The purpose is among other things to achieve a holding device of low weight to be used e.g. in aeroplanes.

Industrial robots are thus equipped with cable sets, which are drawn out and in through comparatively narrow spaces in the manipulator pieces. Problems arise when an old

10

15

20

25

30

5

10

15

20

25

30

cable set is to be removed and a new cable set is to be installed. When removing a cable set, the individual cables/wires in the set can get entangled with remaining cables/wires and pull them out or tear them apart. Or the new cable set gets stuck and risks being torn apart. Both situations lead to an undesired assembly work on the robot with expensive delays as a result thereof.

The ready-manufactured cable sets have relatively large connectors. Some of the connectors cannot pass through one or several openings because the available space in the openings is too small. The alternative is to partly dismantle the robot in order to install cable sets, which makes the operation of the robot more expensive.

With the problems mentioned above the time between the changing of cable sets is substantially lengthened. This leads to expensive stoppage, which makes the operation of the robot, and thereby also the manufacturing of a product, substantially more expensive.

Another kind of problem with robots is that dirt and waste material can penetrate to the interior of the manipulator through openings for the cable sets. This could also lead to unwanted stoppage, which makes the production more expensive. Furthermore, dirt inside the robot leads to greater wear and thereby shorter lifetime.

When manufacturing robots like the ones mentioned above a need for a robot arises, which enables a fast and simple fastening of ready-made cable sets with attached connectors. At the same time, dirt should be kept out from the interior of the robot. With some robot mountings there is also a need for a fastening, which also protects the interior of the robot from liquid penetrating through. The device for fastening cable sets should be of low weight, use the space with maximal efficiency, i.e. offer a compact fastening, allow for a quick assembly of cable sets and at the same time keep waste material and dirt out.

This requirement cannot be met by any of the devices shown in the cited documents.

Summary of the disclosed invention

When industrial robots are manufactured a manipulator is equipped with cable sets for operating the robot. The development of the power supply has the objective to create flexible systems both for robot manufacturers and for customers. In a flexible system the

10

15

20

25

30

robot manufacturer can produce a standard concept. The customer thereafter decides how the robot shall be equipped at delivery.

The object of the present invention is thus to achieve a robot comprising a device with which one in a simple and compact way fastens cable sets and at the same time enables the exchanging and supplementing of ready-made cable sets.

The inventive idea includes that the robot manufacturer can use cable sets readymade by a subcontractor. Furthermore it includes that the user/customer himself also shall be able to supplement alternatively shift the operational equipment of the robot to make the robot usable for totally different assignments during its lifetime.

The solution according to the invention is a robot comprising a manipulator with a control system, which robot is provided with a device for fastening at least one cable set to the manipulator, where the cable set runs through one or more openings in the manipulator. The device comprises a holder, which fastens the individual cables longitudinally and laterally. The device can also comprise a lid with a shape compatible to the holder. When the holder and the lid are mounted together in/across the opening they cover, alternatively form, a tight seal. The holder and the lid respectively are detachably fixed along the corresponding section of the edge region of the opening.

The inventive idea includes the situation where a manipulator has so many cable sets, that the corresponding number of compatible holders together cover the opening. Additionally it includes the situation where one or several holders are arranged together without covering the opening and without arranging any lid arranged in the residual part of the opening.

To simplify the fastening of cable sets in the manipulator, the manipulator is provided with a pipe socket, which has an upper orifice of optional shape. Thereby an irregular opening in the manipulator can be transferred to an optional orifice shape, which fits the ready-made holders of the cable sets with pre-selected shape. Another advantage of a fixedly mounted pipe socket is that the cable set passes an opening, where the risk of wear and breaking against the rim of the opening has been substantially reduced.

10

15

20

25

30

The holder and the lid can be manufactured from different materials, e.g. rubber, polymer or metal.

The invention allows the fixating of existing cable sets in an opening in a robot so that they do not accompany a ready-made cable set being removed/installed and thereby being drawn through the opening. The holder fixes installed cable sets e.g. in connection with the rim of the opening. If the cable set installed, which is to be drawn through the opening, has connectors that are too large, the holder can be detached from the rim of the opening and be led to the side in order to leave room for the connectors. Then, only the separate cables in the cable set occupy space in the opening. When the connectors have passed through the opening, the holder is brought back and once again attached e.g. to the rim of the opening.

Brief description of the drawings

Henceforth reference is made to the attached figures for a better understanding of the present invention and its examples and embodiments, wherein:

Fig. 1 illustrates an industrial robot with a cable set installed in accordance with the present invention.

Fig. 2 illustrates one embodiment of the invention, where a pipe socket forms an opening with holder and lid.

Fig. 3 illustrates an enhanced detailed view of the device in fig. 2.

Detailed description of preferred embodiments

An industrial robot, comprising a manipulator with a control system, comprises a device 1 allowing attachment of a cable set 2 (fig.1). The cable set 2 is installed from a power source 3 up through the manipulator support 4 and further to the manipulator arm 5. The cable set 2 runs through the support 4 via an opening 6. In the preferred embodiment, a fixedly mounted pipe socket 7 with an upper rim 7a and an upper orifice 7b covers the opening 6 in the support 4. The cable set 2 thus runs through the opening 6 and the pipe socket 7 and out through the orifice 7b.

The cable set 2 in the example consists of three individual cables/wires 2a, 2b and 2c (fig. 2). The cables/wires run through cavities/openings 8 in a disc-shaped holder 9 and are thereby fixedly positioned at a distance from each other in a plane transverse to their longitudinal direction. The holder 9 is, along a section 10a of its outer edge 10, shaped to be

15

20

25

30

compatible with the upper rim 7a of the pipe socket. In the shown example, the upper rim 7a of the pipe socket is circular in shape and the holder 9 therefore has a correspondingly arch-shaped edge section 10a, which has the same radius of curvature as the upper rim 7a of the pipe socket. Along the edge of the holder's arch-shaped section 10a, a means of attachment is arranged in the form of a longitudinal curved collar 11. The holder 9 is attached to the orifice 7b of the pipe socket 7 by the collar 11 being hitched or forced onto the upper rim 7a of the pipe socket and the fixation is ensured with snap action.

The cable fastening means can also comprise a lid 12 with the same shape/outer contour as the upper rim 7a of the pipe socket. In analogy with the holder 9 the lid 12 has an attachment means 13 along the outer edge 14 in the form of a longitudinal arch-shaped collar 13a, where the collar 13a is hitched or forced onto the upper rim 7a of the pipe socket and the fixation is ensured with snap action. The lid 12 is used firstly to seal the upper rim 7a of the pipe socket before a cable set is installed in the robot and secondly, when a cable set 2 is already installed, to cover the part of the orifice 7b which is not yet covered by a holder 9.

The lid 12 can at the beginning have a shape, which covers the orifice 7b. By providing the lid 12 with one or more directions 15, the lid 12 can be divided into sections as more cable sets are installed. The lid 12 is divided into sections by removing/breaking off pieces along the directions 15, making the shape of the lid 12 compatible with the holder or holders 9 fastened to the opening. The holder 9 and the lid 12 are, when arranged next to each other, shaped to form a tight overlapping.

Alternative embodiments

Instead of hitching or forcing the holder onto the rim 7a of the pipe through the snap action of the collar 11, the collar 11 of the holder 9 can be hitched or forced onto the rim and thereafter fastened with a hose clamp 16 or the like. The same applies to the fastening of an optional lid 12.

The holder 9 can be of circular shape but have a spreading in the longitudinal direction of the cable set. In this way, the holder 9 giving the cable set 2 longitudinal support can make the guiding of the cable set steadier.

10

15

7

Claims

- 1. An industrial robot comprising a manipulator with a control system, whereby the manipulator comprises at least one device (1) for fastening at least one cable set (2), the cable set (2) being arranged to run through at least one opening (6) in the manipulator, characterized by the device comprising a holder (9), through which the cable set (2) runs and
- characterized by the device comprising a holder (9), through which the cable set (2) runs and by the holder (9) being detachably fixed along a section of an edge area of the opening (6).
 - A robot according to claim 1, characterized by the opening (6) being formed by a pipe socket (7), fixedly mounted on the manipulator (1).
 - A robot according to claim 1, characterized by the detachably fixed holder (9) having a fastening means in the form of a curved collar (11).
- 4. A robot according to claim 3, characterized by the holder (9) being fixed by snap action with the curved collar (11).
 - A robot according to claim 3, characterized by the holder (9) being fixed with a hose clamp (16).
- 20 6. A robot according to claim 1, characterized by the device (1) comprising a lid (12), which is detachably fixed in connection with the edge region of the opening (6).
- 7. A robot according to claim 1, characterized by the holder/holders (9) and lid/lids (12) having compatible shapes and by that they mounted together cover at least part of the25 opening (6).
 - 8. A robot according to claim 1, characterized by the holder/holders (9) and lid (12) together covering and forming a tight seal of the opening (6).
- 9. A robot according to claim 6, characterized by the lid (12) being divided into sections (12a).
 - 10. A robot according to claim 1, characterized by the lid (12) being divided into sections (12a) through at least one direction (15).

15

20

- 11. A process for fastening in an industrial robot, comprising a manipulator provided with a control system and at least one cable set (2), which runs through at least one opening (6) in the manipulator, characterized by the cable set (2) being arranged to run through a holder (9), and that the holder (9) is rendered detachably fixed in connection with a section of an edge area of the opening (6).
- 12. A process according to claim 11, **characterized by** that a lid (12) is shaped to be compatible with one or several holders (9), that holder (9) and lid (12) are fixed in the opening (6) in order to together be brought to cover at least part of the opening (6).
- 13. A process according to claim 12, **characterized by** that holder (9) and lid (12) together are rendered to cover the opening (6) tight-fittingly.

10

15

20

25

As long as the cable set is compactly arranged in the holder 9, it can be of optional shape. In the case of more holders, theses should be of compatible shape. In the case of there being a lid 12, it can be shaped to cover all or part of the orifice 7b.

The outer edges of both the holder 9 and the lid 12 can be shaped to overlap when being arranged next to each other. They can also form a tight overlapping.

The individual cables can be arranged to revolve in the recesses/openings 8 of the holder.

The holder/holders alternatively can be arranged to revolve in the opening/orifice 7b.

The upper orifice 7b of the pipe socket 7 need not be of circular shape, but can be of either oval or angular shape.

The pipe socket 7 need not be curved but can be straight.

The fastening devices 11 and 13 neither need to be of the same shape nor be collars. The main point is that respective fastening device is easily detachable.

The lid can consist of several uniform or non-uniform but compatible units, which together form a lid of desired size and shape. They must also be compatible to one or several holders if they are to cover the opening together.

1/2






FIG.1

2/2





Declaration and Power of Attorney for Patent Application ರ್ಯಾಷರ್kan och Fullmakt avgiven i samband med ansökan om patentskydd Swedish Language Declaration

nämnd uppfinnare förklarar jag att:

Min hemvist, postadress och medborgarskap är som nedan angivits

Jag är övertygad om att jag är den ursprungliga, första och enda uppfinnaren (om endast ett namn uppges nedan) eller en av de ursprungliga och första meduppfinnarna (om flera namn anges nedan) av den uppfinning för vilken patent söks, benämnd:

vars patentbeskrivning härmed bifogas om inte

härtill bifogad ingavs den

10

100 31. 47

The same

U.S. ansökningsnummer

eller internationellt ansökningsnummer

och ändrades den

(eventuellt)

Jag förklarar härmed att jag har granskat och förstår innehållet i den ovannämnda beskrivningen och patentkrav

Jag är medveten om min skyldighet att uppge information av väsentlig betydelse för patenterbarhet i enlighet med "Title 37, Code of Federal Regulations, § 1.56."

med de eventuella ändringar som gjorts.

As a below named inventor, I hereby declare that:

My residence, mailing address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

DEVICE AND METHOD FOR FASTENING CABLES TO AN INDUSTRIAL ROBOT

the specification of which

is attached hereto.

was filed on November 16, 2001

> as United States Application Number or PCT International Application Number

09/926,541 and was amended on

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37. Code of Federal Regulations, § 1.56.

Swedish Language Declaration

Jag vírkar härmed prioritet enligt "Title 35, United States Code, § 119(a)-(d) or § 365(b)" for deri) utilationate ansökning(ar) som angivits nedan och avser patent eller uppfinnarcetrifikat eller, under § 365(a) enligt ovan, för varje internationell PCT-ansökan som designerats attminstone tretligare ett land förutom U.S.A.; vidare har jag nedan identifierat, genom att korsa ruta, eventuella utländska patentansökningar, uppfinnarcetrifikat eller internationella PCT-ansökningar som har inlämningsdatum för ed et inlämningsdatum för ansökan från vilket pröriett yrkas.

Prior Foreign Application(s) Tidigare ansökning(ar) utomlands

(4)

T.

9902409-3	Sweden			
(Number)	(Country)			
(Número)	(País)			

Jag yrkar harmed på den förmon som I enlightet med "Title 35, United States Code, § 119(e)" tillkommer varje de Förenta Staaternas hjälpansökan som uppräknas nedan.

(Application No.) (Filing Date) (Ansökan,nr) (ingivningsdag)

Jag yrkar härmed de förmäner som i enlighet med "Tille 35, United States Code, § 120" tillkommer varje ansökan av U.S.A. eller, under § 365(c) enligt ovan, varje internationell PCT-ansökan som designerats U.S.A. och angivits nedan, och om innehållet i samtiga patentkrav i denna ansökan inte nagivitis i den tidigare ansökan av U.S.A. eller i internationell PCT-ansökan på det sätt som krävs enligt första paragrafet i Tille 35, United States Code § 112" ar jag medveten om skyldigheten att uppge information, som utgör material för patenterbarhet enligt "Tille 37, Code of Federal Regulations, § 1.56" och som bivit tillgänglig under tiden mellan den tidigare ansökningens inlämningsdatum och datum för denna ansökans inlämnande säsom nationell ansökan eller som PCT-ansökan.

PCT/SE00/01304	June 20, 2000			
(Application No.)	(Filing Date)			
(Ansökan,nr)	(inglvningsdag)			
(Application No.) (Ansökan,nr)	(Filing Date) (ingivningsdag)			

Vidare förklarar jag att dessa uppgifter, såvitt jag vet, är samingsenliga och alla uttalanden om information och vetande förmodas vars samingsenliga; och att dessa uppgifter lämnats I medvetande om att avsiktligt falska uppgifter och likande kan straffas med böter eller fälgsles eller bådadera enligt "Section 1001 of Title of the United States Code", och att sådanavsiktligt falska uppgifter kan äventyra giltigheten av ansökningen eller ett därav beviljat patent.

FULLMAKT: I egenskap av uppfinnare befullmäktigar jag harmed följande advokat/er och/eller ombud att tala och svara i denna ansökan inför US Patent & Trademark Office: (Ange namn och

registreringsnummer nedan).

I hereby daim foreign priority under Title 35, United States Code, § 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

	Niavs ilite			
24 June 1999	⋈	П		
(Day/Month/Year Filed)	Yes	No		
(Día/Mes/Año de presentación)	Sí	No		

Priority Claimed

Prioritetsrätt

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below.

(Application No.)	(Filing Date)
	(i iiiig bate)
(Ansökan,nr)	(ingivningsdag)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 355(o) or § 35(o) or § 35(o) or § 35(o) or § 25(o) or

(Status: Patented, Pending, Abandoned) (ärendets status: patent meddelat, ej avgjort, avslag)

(Status: Patented, Pending, Abandoned) (ärendets status: patent meddelat, ej avgjort, avslag)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements any jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

Swedish Language Declaration



All korespondens i ärendet sands till:

Send Correspondence to:



All tel. samtal i ärendat stalls till: (namn, tel. nr.)

Direct Telephone calls to: (name and telephone number)

(703) 413-3000

Nombre complete del difico o primer inventor	Dan SALOMONSSON
Firma del inventor Fecha	✓nventor's signature ¿Ďate
	Da Sulmayon 1/1-02
Domicilio	Residence Kristiansborgsallen 5 A, S-722 19 <u>Vasteras,</u> Sweden
Nacionalidad	Citizenship Sweden
Apartado postal	Mailing Address same as above
Nombre completo del segundo inventor conjunto, si lo hubie	
Nombre completo del segundo inventor conjunto, si lo nuble	re Full name of second joint inventor, If any Daniel LUNDBACK
Firma del segundo inventor Fecha	Second inventor's signature Date
	Daniel dimobial 14/1-02
Domicilio	Residence
N. C. C.	Amenningavagen 48, \$-72482 Vasteras, Sweden
Nacionalidad	Citizenship Sweden
Apartado postal	Mailing Address same as above